

Message

From: Seneca, Roy [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0F19873F9B614C2ABDA0E476EEAFB8AD-RSENECA]
Sent: 7/14/2021 9:04:13 PM
To: Melvin, Karen [Melvin.Karen@epa.gov]
Subject: RE: News Release needs your approval: EPA orders Clarksburg to identify homes, businesses with lead service lines

Ok. Thanks.

From: Melvin, Karen <Melvin.Karen@epa.gov>
Sent: Wednesday, July 14, 2021 5:04 PM
To: Seneca, Roy <Seneca.Roy@epa.gov>
Cc: Kim, Lena <Kim.Lena@epa.gov>; White, Terri-A <White.Terri-A@epa.gov>; Landis, Jeffrey <Landis.Jeffrey@epa.gov>; Gardner, Allison <Gardner.Allison@epa.gov>; Mastro, Donna <Mastro.Donna@epa.gov>; Lazos, Pamela <Lazos.Pamela@epa.gov>; Rogers, Rick <rogers.rick@epa.gov>
Subject: RE: News Release needs your approval: EPA orders Clarksburg to identify homes, businesses with lead service lines

Ex. 5 Deliberative Process (DP)

KAREN MELVIN, DIRECTOR
ENFORCEMENT AND COMPLIANCE ASSURANCE DIVISION
US EPA, REGION 3
1650 ARCH STREET
PHILADELPHIA, PA 19103
215-814-3275

From: Seneca, Roy
Sent: Wednesday, July 14, 2021 4:56 PM
To: Melvin, Karen <Melvin.Karen@epa.gov>
Cc: Kim, Lena <Kim.Lena@epa.gov>; White, Terri-A <White.Terri-A@epa.gov>; Landis, Jeffrey <Landis.Jeffrey@epa.gov>
Subject: News Release needs your approval: EPA orders Clarksburg to identify homes, businesses with lead service lines
Importance: High

Karen – We need to issue this news release today. It has been reviewed by ORC and Rick Rogers. Let us know if you are okay with this. Thanks. -- Roy

DRAFT – DRAFT – DRAFT – DRAFT – DRAFT – DRAFT – DRAFT - DRAFT

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Roy Seneca
EPA Region 3 Press Officer
Office of Public Affairs
seneca.roy@epa.gov
(215) 814-5567